

Handwashing: Keeping Your Family Healthy

Handwashing is an easy, cheap, and effective way to prevent the spread of germs and keep kids and adults healthy. When your family is healthy, you don't have to worry about missing school, work, or other activities.

Help your child develop handwashing skills

Parents and caretakers play an important role in teaching children to wash their hands. Handwashing can become a lifelong healthy habit if you start teaching it at an early age. Teach kids the [five easy steps for handwashing](#)—wet, lather, scrub, rinse, and dry—and the key times to wash hands, such as after using the bathroom or before eating. You can find ways to make it fun, like making up your own handwashing song or turning it into a game.

Lead by example

Young children learn by imitating the behaviors of adults in their lives. When you make handwashing part of your routine, you're setting an example for your children to follow.



LIFE IS BETTER WITH

**CLEAN
HANDS**



www.cdc.gov/handwashing

This material was developed by CDC. The Life is Better with Clean Hands Campaign is made possible by a partnership between the CDC Foundation, GOJO, and Staples. HHS/CDC does not endorse commercial products, services, or companies.



CS310275-A

Handwashing can prevent

1 in 3
cases of diarrhea



1 in 5
respiratory infections,
such as a cold or the flu



Give frequent reminders

Building handwashing skills takes time. At first, your child will need regular reminders of how and when to wash hands. It is especially important to remind children to wash their hands after using the bathroom, before eating, after touching pets, after playing outside, and after coughing, sneezing, or blowing their nose. But once handwashing becomes a habit and a regular part of your child's day, they will practice it throughout their lives.

What if soap and water aren't available?

Washing hands with soap and water is the best way to get rid of germs. If soap and water are not readily available, use an alcohol-based hand sanitizer that has at least 60% alcohol.

Did you know?


Baby wipes may make your hands look clean, but they're not designed to remove germs from your hands. CDC recommends washing hands with soap and water when possible.



Remember to make handwashing a healthy habit at home, school, and at play!

Handwashing and Hand Sanitizer Use

at Home, at Play, and Out and About



GermS are everywhere! They can get onto hands and items we touch during daily activities and make you sick. Cleaning hands at key times with soap and water or hand sanitizer is one of the most important steps you can take to avoid getting sick and spreading germs to those around you.

There are important differences between washing hands with soap and water and cleaning them with hand sanitizer. For example, alcohol-based hand sanitizers don't kill ALL types of germs, such as a stomach bug called norovirus, some parasites, and *Clostridium difficile*, which causes severe diarrhea. Hand sanitizers also may not remove harmful chemicals, such as pesticides and heavy metals like lead. Handwashing reduces the amounts of all types of germs, pesticides, and metals on hands. Knowing when to clean your hands and which method to use will give you the best chance of preventing sickness.

When should I use?

Soap and Water

- Before, during, and after preparing food
- Before eating food
- Before and after caring for someone who is sick
- Before and after treating a cut or wound
- After using the bathroom, changing diapers, or cleaning up a child who has used the bathroom
- After blowing your nose, coughing, or sneezing
- After touching an animal, animal food or treats, animal cages, or animal waste
- After touching garbage
- If your hands are visibly dirty or greasy

Alcohol-Based Hand Sanitizer

- Before and after visiting a friend or a loved one in a hospital or nursing home, unless the person is sick with *Clostridium difficile* (if so, use soap and water to wash hands).
- If soap and water are not available, use an alcohol-based hand sanitizer that contains at least 60% alcohol, and wash with soap and water as soon as you can.

* Do **NOT** use hand sanitizer if your hands are visibly dirty or greasy: for example, after gardening, playing outdoors, or after fishing or camping (unless a handwashing station is not available). Wash your hands with soap and water instead.



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

How should I use?

Soap and Water

- **Wet** your hands with clean running water (warm or cold) and apply soap.
- **Lather** your hands by rubbing them together with the soap.
- **Scrub** all surfaces of your hands, including the palms, backs, fingers, between your fingers, and under your nails. Keep scrubbing for 20 seconds. Need a timer? Hum the “Happy Birthday” song twice.
- **Rinse** your hands under clean, running water.
- **Dry** your hands using a clean towel or air dry them.



Alcohol-Based Hand Sanitizer

Use an alcohol-based hand sanitizer that contains at least 60% alcohol. Supervise young children when they use hand sanitizer to prevent swallowing alcohol, especially in schools and childcare facilities.

- **Apply.** Put enough product on hands to cover all surfaces.
- **Rub** hands together, until hands feel dry. This should take around 20 seconds.

Note: Do not rinse or wipe off the hand sanitizer before it's dry; it may not work as well against germs.



For more information, visit the CDC handwashing website, www.cdc.gov/handwashing.

Handwashing

at Home, at Play, and Out and About



Germs are everywhere! They can get onto your hands and items you touch throughout the day. Washing hands at key times with soap and water is one of the most important steps you can take to get rid of germs and avoid spreading germs to those around you.

How can washing your hands keep you healthy?

Germs can get into the body through our eyes, nose, and mouth and make us sick. Handwashing with soap removes germs from hands and helps prevent sickness. Studies have shown that handwashing can prevent 1 in 3 diarrhea-related sicknesses and 1 in 5 respiratory infections, such as a cold or the flu.

Handwashing helps prevent infections for these reasons:



People often touch their eyes, nose, and mouth without realizing it, introducing germs into their bodies.



Germs from unwashed hands may get into foods and drinks when people prepare or consume them. Germs can grow in some types of foods or drinks and make people sick.



Germs from unwashed hands can be transferred to other objects, such as door knobs, tables, or toys, and then transferred to another person's hands.



What is the right way to wash your hands?

1. Wet your hands with clean running water (warm or cold) and apply soap.
2. Lather your hands by rubbing them together with the soap.
3. Scrub all surfaces of your hands, including the palms, backs, fingers, between your fingers, and under your nails. Keep scrubbing for at least 20 seconds. Need a timer? Hum the “Happy Birthday” song twice.
4. Rinse your hands under clean, running water.
5. Dry your hands using a clean towel or air dry them.



Centers for Disease
Control and Prevention
National Center for Emerging and
Zoonotic Infectious Diseases

When should you wash your hands?

Handwashing at any time of the day can help get rid of germs, but there are key times when it's most important to wash your hands.

- Before, during, and after preparing food
- Before eating food
- Before and after caring for someone who is sick
- Before and after treating a cut or wound
- After using the bathroom, changing diapers, or cleaning up a child who has used the bathroom
- After blowing your nose, coughing, or sneezing
- After touching an animal, animal food or treats, animal cages, or animal feces (poop)
- After touching garbage
- If your hands are visibly dirty or greasy

What type of soap should you use?



You can use bar soap or liquid soap to wash your hands. Many public places provide liquid soap because it's easier and cleaner to share with others. Studies have not found any added health benefit from using soaps containing antibacterial ingredients when compared with plain soap. Both are equally effective in getting rid of germs. If soap and water are not available, use an alcohol-based hand sanitizer that contains at least 60% alcohol.

How does handwashing help fight antibiotic resistance?

Antibiotic resistance occurs when bacteria resist the effects of an antibiotic – that is, germs are not killed and they continue to grow. Sickneses caused by antibiotic-resistant bacteria can be harder to treat. Simply using antibiotics creates resistance, so avoiding infections in the first place reduces the amount of antibiotics that have to be used and reduces the likelihood that resistance will develop during treatment. Handwashing helps prevent many sicknesses, meaning less use of antibiotics.

Studies have
shown that
handwashing
can prevent

1 in 3

diarrhea-related
sicknesses and


1 in 5

respiratory
infections, such as
a cold or the flu.

For more information and a video demonstration of how to wash your hands, visit the CDC handwashing website:

www.cdc.gov/handwashing


Wash Your Hands!



Dirty!



Wet




Get Soap



Scrub



Rinse



Dry



Clean!



Centers for Disease
Control and Prevention
National Center for Emerging
and Zoonotic Infectious Diseases

www.cdc.gov/handwashing

Infant Handwashing

When to Wash Infant's Hands

- Upon arrival
- Before and after infant receives bottle or food
- After diapering
- After contact with body fluids
- After outside play
- Before and after water play
- After handling pets
- Whenever hands are visibly dirty
- Before going home

Handwashing Steps

- Turn on warm water (90-110°F in NC).
- Wet hands with water.
- Apply liquid soap.
- Wash hands for 10-15 seconds. Rub top and inside of hands, under nails and between fingers.
- Rinse hands with water.
- Dry hands with disposable paper towel.
- Turn off the water using paper towel.
- Throw paper towel into a lined trash container.



Very Young Infants

Very Young Infants unable to support their heads

The infant is unable to hold head up or stand at sink, or the infant is too heavy for you to hold at sink.

Wash the infants hands with:

- disposable wipes
- or**
- the three towel method (prepared ahead):
 1. dampened and soapy for washing infant's hands
 2. dampened with water for rinsing infant's hands
 3. dry for drying infant's hands



Young Infants

Young Infants who can support their heads but not stand at the sink

You are able to hold the infant, but the infant cannot stand at the sink.

- Carry infant to sink.
- Hold infant at the sink and wash infant's hands.

Caution! Do not push the infant's tummy into the sink.

Back Aid Place your foot on a 12" stool to lift your leg. Rest the infant on your knee at the sink.



Older Infants

Older Infants who can stand at the sink

Infant can stand at a toddler height sink or on a stool at a sink.

- First wash your hands.
- Then assist the infant with hand washing.

North Carolina Child Care Health & Safety Resource Center
• 1.800.367.2229 • www.healthychildcarenc.org •

The development, translation, and mailing of the Infant Handwashing Poster are supported by funding from the Child Care and Development Fund Block Grant of the Child Care Bureau, Administration on Children and Families, USDHHS, through a contract between the NC Division of Child Development, NCDHHS, and the Department of Maternal and Child Health, School of Public Health, The University of North Carolina at Chapel Hill.

Stop Germs! Stay Healthy! Wash Your Hands

Keeping hands clean is one of the most important things we can do to stop the spread of germs and stay healthy.



For more details
on handwashing,
visit CDC's Handwashing
Website at
www.cdc.gov/handwashing

When?

- Before, during, and after preparing food
- Before eating food
- Before and after caring for someone who is sick
- Before and after treating a cut or wound
- After using the toilet
- After changing diapers or cleaning up a child who has used the toilet
- After blowing your nose, coughing, or sneezing
- After touching an animal, animal feed, or animal waste
- After handling pet food or pet treats
- After touching garbage

How?

- **Wet** your hands with clean, running water (warm or cold), turn off the tap, and apply soap.
- **Lather** your hands by rubbing them together with the soap. Be sure to lather the backs of your hands, between your fingers, and under your nails.
- **Scrub** your hands for at least 20 seconds. Need a timer? Hum the "Happy Birthday" song from beginning to end twice.
- **Rinse** your hands well under clean, running water.
- **Dry** your hands using a clean towel or air dry them.



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

Stop Germs! Wash Your Hands.

When?

- After using the bathroom
- Before, during, and after preparing food
- Before eating food
- Before and after caring for someone at home who is sick with vomiting or diarrhea
- After changing diapers or cleaning up a child who has used the toilet
- After blowing your nose, coughing, or sneezing
- After touching an animal, animal feed, or animal waste
- After handling pet food or pet treats
- After touching garbage



How?



Wet your hands with clean, running water (warm or cold), turn off the tap, and apply soap.




Lather your hands by rubbing them together with the soap. Be sure to lather the backs of your hands, between your fingers, and under your nails.



Scrub your hands for at least 20 seconds. Need a timer? Hum the “Happy Birthday” song from beginning to end twice.



Rinse hands well under clean, running water.



Dry hands using a clean towel or air dry them.

Keeping hands clean is one of the most important things we can do to stop the spread of germs and stay healthy.

LIFE IS BETTER WITH

CLEAN HANDS



www.cdc.gov/handwashing

This material was developed by CDC. The Life is Better with Clean Hands Campaign is made possible by a partnership between the CDC Foundation, GOJO, and Staples. HHS/CDC does not endorse commercial products, services, or companies.



CS310027-A